	Application No.	Applicant(s)
Notice of Allowability	10/664,198	MALENFANT ET AL.
	Examiner	Art Unit
	George L. Walton	3753
The MAILING DATE of this communication appearable communication appe	OR REMAINS) CLOSED in this or other appropriate communical SHTS. This application is subje	application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to the interview summary	/ and the examiner's amendme	<u>nt</u> .
2. The allowed claim(s) is/are 1-15.		
3. The drawings filed on <u>17 September 2003</u> are accepted by	the Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority unda) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitined including changes required by the Notice of Draftsperson (a) ☐ including changes required by the Notice of Draftsperson (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date [Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the stached Examiner's comment regarding REQUIREMENT for attached Examiner to attached Examiner to a comme	been received in Application Not cuments have been received in the of this communication to file a re ENT of this application. Itted. Note the attached EXAMIN es reason(s) why the oath or deceived to be submitted. It is a submitted to a submitted on a submitted on a submitted of the submitted	this national stage application from the eply complying with the requirements NER'S AMENDMENT or NOTICE OF claration is deficient. PTO-948) attached the Office action of rawings In the front (not the back) of 121(d). AL must be submitted. Note the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/11/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Sumn Paper No./Mai 8), 7. Examiner's Am	Date <u>12/21/04</u> .

Application/Control Number: 10/664,198

Art Unit: 3753

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Todd M. Oberdick on December 21, 2004.

The application has been amended as follows:

CLAIM(S)

In claim 1, line 15, "between" has been changed to -- at least partially defined by an outer wall of the float unit, an outer wall of the ballast and -- and in line 15, "and the valve" has been changed to --, the passageway --.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George L. Walton whose telephone number is 571-272-4920. The examiner can normally be reached on M-F, 8:00-4:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on 571-272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 3753

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

George L. Walton Primary Examiner Art Unit 3753